

INDEX MAPS.

T. 11N, R. 6E. 2nd Mer.

	155	155	154	154	154	154	153					
157	6	181	5	174	4	170	3	166	2	161	1	153
	180	180	174	170	165	161						
157	7	179	8	173	9	169	10	165	11	161	12	152
	179	179	173	169	165	160						
156	18	178	17	173	16	169	15	164	14	160	13	152
	178	177	172	168	164	159						
156	19	177	20	172	21	168	22	163	23	159	24	152
	177	176	172	167	163	159						
156	30	176	29	171	28	167	27	163	26	158	25	151
	175	175	171	166	162	158						
156	31	175	32	170	33	166	34	162	35	158	36	151
	150	150	150	149	149	149						

T. 12N, R. 6E. 2nd Mer.

	189	189	188	188	188	187						
191	6	214	5	208	4	204	3	200	2	195	1	187
	214	213	208	203	199	195						
191	7	213	8	207	9	203	10	199	11	195	12	186
	212	213	207	203	198	194						
190	18	212	17	206	16	202	15	198	14	194	13	186
	212	211	206	202	198	194						
190	19	211	20	206	21	202	22	197	23	193	24	186
	211	210	205	201	197	193						
190	30	210	29	205	28	201	27	197	26	192	25	185
	209	209	205	200	196	192						
189	31	209	32	204	33	200	34	196	35	192	36	185
	185	184	184	183	183	183						

(P) The figures on the lines refer to the page.

Township Lines.

South Boundary. Var. 7° 30' E

West on the S. Boundary of Sec. 36

- 9.68 a Blue Ash 21 in. dia.
40.00 set g. sec. post from which
an Ash 20 in. dia bears N 10 E 23 lbs. dist. 8
a Beech 16 " " " S 36 E 14 " "
57.00 an Oak 40 " "
80.00 set post cor. of sec. 35 & 36 from which
a Beech 12 in. dia bears S 36 E 9 lbs. dist. 8
a Do 10 " " " N 36 W 24 " "
Level & rats land, Beech, Ash, Oak, Hickory,
Poplar & Upr. Spruce
-

West on the S. Boundary of Sec. 35

- 32.88 an Ash 30 in. dia.
40.00 set g. sec. post from which
a Beech 14 in. dia bears N 71 W 20 lbs. dist. 8
an Oak 7 " " " S 30 E 8 " "
45.71 a Beech 24 " "
80.00 set post cor. of sec. 34 & 35 from which
a Beech 20 in. dia bears N 77 E 10 lbs. dist. 8
an Ash 24 " " " S 45 W 20 " "
Level & timber the same as last noted.
-

West on the S. Boundary of Sec. 34

- 8.60 an Ash 28 in. dia.
40.00 set g. sec. post from which
a Hackberry 18 in. dia bears N 29 W 12 lbs. dist. 8
a Buckeye 10 " " " S 30 E 17 " "
56.14 a Do 15 " "
80.00 set post cor. of sec. 33 & 34 from which
a Maple 10 in. dia bears N 20 E 31 lbs. dist. 8
a Willow 7 " " " S 20 E 15 " "

T.M.N., R.O.E. I. Mer. Ind.^a

Rich 3rd rate Bottom, timber Sugar, Ash, Buckeye, Hackberry & Upr. Spice & Pawpaw

West on the S. Boundary of Sec. 33

0.10 Flat Rock Creek 200 Yds. wide course S
 21.87 an Ash 12 in. dia.
 33.50 an Improvement containing 2 1/2 Acres
 40.00 set of sec. posts from which
 a Cherry 6 in. dia. bears N80 E 13 1/2 W. dist 28
 a Hackberry 7 " " S55 W 29 " "
 47.25 a Blue Ash 24 " "
 80.00 set post cor. of sec. 32 & 33 from which
 a Sugar 16 in. dia. bears N83 W 24 1/2 W. dist 28
 a Do 7 " " S33 E 17 " "
 Soil rate low ground, timber as last noted

West on the S. Boundary of Sec. 32

15.50 a Branch 12 Yds. wide course S W
 27.50 a Beech 28 in. dia.
 40.00 set of sec. posts from which
 a Beech 12 in. dia. bears S37 E 24 1/2 W. dist 28
 a Do 15 " " N30 W 29 " "
 45.00 a Branch 3 Yds. wide course S E
 52.15 a Poplar 48 in. dia.
 80.00 set post cor. of sec. 31 & 32 from which
 a Beech 14 in. dia. bears S30 E 21 1/2 W. dist 28
 a Do 8 " " N52 W 23 " "
 Rich land, timber Beech, Sugar, Poplar, Elm &
 Upr. Spice

West on the S. Boundary of Sec. 31

1.88 a Gum 20 in. dia.
 40.00 set of sec. posts from which
 a Sugar 13 in. dia. bears N87 W 16 1/2 W. dist 28

T. M. N., R. O. S. Mer. Ind.^a

a Beech 7 in. diameter South 14 lbs. dit.

82.85 Intersect W. Boundary 173 lbs. N. of temp. post-
set post at intersection cor. of T. 10 & 11 N., R. 5 & 6

E. from which

an Ash 8 in. diameter N 80° W 14 lbs. dit. &

a Do 12 " " " S 70° E 5 " "

Land & timber the same as last noted

June 24th. 1819

East Boundary. Val. 7.00 E

Bearings at cor. of T. 10 & 11 N., R. 6 & 7 E

a Beech 10 in. diameter N 15° E 14 lbs. dit. &

a Do 8 " " " S 51° W 34 " "

North on the E. Boundary of Sec. 36

17.00 a Branch 15 lbs. wide course S E

20.00 same " course S W

24.00 a Bur Oak 18 in. dia.

40.00 set of sec. post from which

a Beech 20 in. diameter S 87° E 32 lbs. dit. &

a Do 6 " " " N 57° W 11 " "

50.84 a Do 15 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 14 in. diameter S 75° W 35 lbs. dit. &

a Do 14 " " " N 3° E 18 " "

Level land good soil, timber Beech, Ash,
Sugar & Wyp. Spruce, Beech &

North on the E. Boundary of Sec. 25

2.25 a Hickory 30 in. dia.

12.50 a Branch 10 lbs. wide course S W

40.00 set of sec. post from which

a Beech 12 in. diameter S 33° W 28 lbs. dit. &

an Elm 10 " " " S 10° E 15 " "

59.00 a Branch 20 lbs. wide course S W

T. H. N., R. O. E. 2^d Mer. Ind.?

73.94 a Beech 18 in. dia.

80.00 set part cor. of sec. 24 & 25 from which
a Beech 12 in. dia bears S 34 E 5 lbs. dist. 8

a Do 8 " " " N 17 W 37 " "

Level land, rich soil, timber Beech, Ash, Sugar,
Oak & Upr. Spice, Pawpaw

North on the E. Boundary of Sec. 24

22.72 an Ash 24 in. dia.

40.00 set of sec. part from which

a Beech 10 in. dia bears S 62 E 24 lbs. dist. 7,

a Sycamore 29 " " " N 20 E 6 " "

49.93 a Do 48 " "

72.00 Flat Rock Creek 250 lbs. wide course S W

80.00 set part cor. of sec. 13 & 24 from which

a Beech 15 in. dia bears N 50 E 24 lbs. dist. 8

a Do 15 " " " S 4 E 42 " "

Level land, timber Beech, Poplar, Sugar, Ash,
& Upr. Spice - rich soil

North on the E. Boundary of Sec. 13

14.57 a Gum 36 in. dia.

40.00 set of sec. part from which

a Beech 18 in. dia bears S 14 W 12 lbs. dist. 8

a Do 10 " " " N 41 W 22 " "

Flat land, timber Beech, Gum, Ash, Elm, Oak
& Under Ash, Spice

49.04 an Oak 24 in. dia.

80.00 set part cor. of sec. 12 & 13 from which

a Walnut 48 in. dia bears N 76 W 17 lbs. dist. 8

an Elm 20 " " " S 73 E 42 " "

2^d rate land, timber as last noted

North on the E. Boundary of Sec. 12

T. H. N., R. O. E. L. Mer. Ind.^a

12.00 a Creek 60 lbs. wide course NW

13.97 a Beech 15 in. dia.

33.00 a Creek 25 lbs. wide course W

40.00 set of sec. part from which

a Beech 12 in. dia. bears S 26 E 25 lbs. dia. 8

a Do 9 " " " N 62 W 20 " "

48.90 an Oak 30 " "

80.00 set part cor. of sec. 1 & 12 from which

a Beech 10 in. dia. bears N 60 W 21 lbs. dia. 8

an Oak 36 " " " N 25 E 8 " "

Level rich land, timber Beech, Sugar, Ash,
Elm, Buckeye & Upr. Spice, Pawpaw

North on the E. Boundary of Sec. 1

16.22 an Oak 20 in. dia.

40.00 set of sec. part from which

a Beech 16 in. dia. bears S 75 W 12 lbs. dia. 8

an Oak 24 " " " N 45 E 13 " "

71.57 a Maple 18 " "

79.10 set part cor. of T. 11 & 12 N, R. 6 & 7 E. from which

a Beech 12 in. dia. bears S 17 E 17 lbs. dia. 8

a Do 9 " " " S 71 W 20 " "

Level Prats land, timber Beech, Sugar, Oak,
Wickory & Under Spice

North Boundary. Var. 7.15' E.

West on the S. Boundary of Sec. 36, T. 12 N, R. 6 E

16.16 an Ash 19 in. dia.

21.03 a Do 30 " "

40.00 set of sec. part from which

an Ash 20 in. dia. bears N 22 E 2 lbs. dia. 8

an Elm 27 " " " S 57 W 12 " "

52.70 a Beech 18 " "

80.00 set part cor. of sec. 35 & 36 from which

T. 12 N., R. 6 E., S. 1 Mer. Ind. a

an Ash 12 in. dia bears S 36 W 26 lbs. dia. &
 a Beech 5 " " " N 33 W 33 " " "
 Over level land, timber Beech, Ash, Sugar &
 Upr. Spice, Prickly Ash & soil good

West on the S. Boundary of Sec. 35, T 12 N., R. 6 E
 13.15 a Sycamore 21 in. dia.

40.00 set of sec. posts from which
 a Swamp Ash 6 in. dia bears S 67 W 28 lbs. dia. &
 a Beech 10 " " " N 59 E - " " "

65.55 an Ash 36 " "

80.00 set posts cor. of sec. 34 & 35 from which
 a Beech 21 in. dia bears N 79 E 8 lbs. dia. &
 an Elm 9 " " " S 11 E 2 " " "
 Over level wet land, timber Ash, Beech, Elm,
 Oak, Hickory & Upr. Spice, Swamp Ash & soil
 good

West on the S. Boundary of Sec. 34, T 12 N., R 6 E
 10.35 an Elm 27 in. dia.

40.00 set of sec. posts from which
 a Beech 8 in. dia bears S 47 W 11 lbs. dia. &
 a Do 7 " " " N 68 1/2 E 5 " " "

46.20 a Sr 24 " "

80.00 set posts cor. of sec. 33 & 34 from which
 a Hickory 6 in. dia bears S 63 E 8 lbs. dia. &
 an Ash 6 " " " N 26 W 15 " " "
 Over level wet ground, timber Beech, Ash,
 Elm & Upr. Spice, Swamp Ash & rich soil

West on the S. Boundary of Sec. 33, T 12 N., R 6 E
 12.80 a Beech 15 in. dia.

40.00 set of sec. posts from which
 a Beech 9 in. dia bears N 6 E 5 lbs. dia. &

T. 11 N., R. 6 E., S. Mer. Ind.^a

a Beech 9 in. dia bears S 44 1/2 W 17 lbs. dia.
 64.55 a Poplar 18 " "
 80.00 set part cor. of sec. 32 & 33 from which
 a Blue Ash 9 in. dia bears S 54 E 5 lbs. dia. &
 a B. Oak 6 " " " S 72 W 19 " "
 Over rolling land, timber Beech, Ash, Poplar,
 Oak & Upr. Spice, Beech - soil good

West on the S. Boundary of Sec. 32, T 12 N, R 6 E

34.80 a Beech 20 in. dia.

40.00 set of sec. part from which

a Hickory 9 in. dia bears N 50 W 5 lbs. dia. &

a Beech 12 " " " S 59 E 26 " "

59.78 a Do 15 " "

68.72 Intersect Driftwood Creek & set part from which

a Beech 12 in. dia bears S 85 W 4 lbs. dia. &

a Hickory 24 " " " S 34 E 10 " "

71.87 set part on right bank of River from which (S W)

an Ash 9 in. dia bears N 29 E 11 lbs. dia. &

a Maple 6 " " " S 44 W 20 " "

80.00 set part cor. of sec. 31 & 32 from which

a Buckeye 6 in. dia bears S 16 E 10 lbs. dia. &

a Span. Oak 20 " " " N 9 E 21 " "

First 1/2 mile gently rolling ^{1.5} rate land, Bluff on
 River 20 feet perpendicular - ^{last 1/2 mile} in low ground timber
 Beech, Buckeye - Upr. Spice - rich soil

West on the S. Boundary of Sec. 31, T 12 N, R 6 E

13.25 a Sycamore 15 in. dia.

40.00 set of sec. part from which

a Beech 7 in. dia bears S 36 W 5 lbs. dia. &

a Blue Ash 9 " " " N 37 W 36 " "

84.33 to Township corner. June 25. 1819

T. 11 N., R. 6 E., T. Mer. Ind.^a

West Boundary. Var. 6⁰⁰. E
 North on the E. Boundary of Sec. 36, T. 11 N., R. 5 E
 40.00 lot of sec. part from which
 a Beech 18 in. diameter S 32 E 36 lbs. dia. 8
 an Ash 21 " " " N 22 W 30 " " "
 80.00 lot part cor. of sec. 25 & 36 from which
 a ——— 18 in. diameter N 27 E 15 lbs. dia. 8
 a Do 12 " " " S 19 W 26 " " "
 Level brushy land, soil good

North on the E. Boundary of Sec. 25, T. 11 N., R. 5 E
 21.00 an Elm 15 in. dia.
 40.00 lot of sec. part from which
 a Beech 20 in. diameter S 66 W 35 lbs. dia. 8
 a Do 10 " " " N 87 E 16 " " "
 71.40 a Sugar 15 " " "
 80.00 lot part cor. of sec. 24 & 25 from which
 a Blue Ash 10 in. diameter N 10 E 12 lbs. dia. 8
 an Elm 27 " " " S 19 E 20 " " "
 Level land, timber Elm, Sugar, Ash &c.

North on the E. Boundary of Sec. 24, T. 11 N., R. 5 E
 21.48 a Sugar 15 in. dia.
 40.00 lot of sec. part from which
 a Sugar 9 in. diameter S 47 W 15 lbs. dia. 8
 a Beech 24 " " " N 86 E — " " "
 67.40 a Branch 8 lbs. wide course S W
 73.00 a Beech 27 in. dia.
 80.00 lot part cor. of sec. 13 & 24 from which
 a Beech 9 in. diameter N 2 E 12 lbs. dia. 8
 a Do 7 " " " S 17 W 13 " " "
 Level land, timber as last noted

North on the E. Boundary of Sec. 13, T. 11 N., R. 5 E

T. 11 N., R. 6 E., T. 1 Mer. Ind. a.

20.10 an Elm 15 in. dia.

40.00 set of sec. post from which

a Sugar 9 in. dia bears S46°W 12 lbs. dist. 8

a Do 8 " " " N55°E 20 " "

67.80 a Do 18 " "

69.10 a Branch 4 lbs. wide course S°W

80.00 set post on. of sec. 12 & 13 from which

an Ash 18 in. dia bears N43°E 11 lbs. dist. 8

a Sugar 30 " " " S24°W 18 " "

Land & timber the same as last noted.

North on the E. Boundary of Sec. 12, T. 11 N., R. 5 E

40.00 set of sec. post from which

a Blue Ash 9 in. dia bears S55°W 16 lbs. dist. 8

a Do 7 " " " N60°E 15 " "

77.60 a W. Walnut 15 " "

80.00 set post on. of sec. 11 & 12 from which

a Buckeye 9 in dia bears N39°E 18 lbs. dist. 8

a Sycamore 30 " " " S72°W 27 " "

Level land, timber Elm, Ash, Walnut & Upr.

Spice, Ash & soil good

North on the E. Boundary of Sec. 1, T. 11 N., R. 5 E

13.00 East fork of White River 200 lbs. wide course S°W

21.90 a Mulberry 10 in. dia.

40.00 set of sec. post from which

an Ash 8 in. dia bears N47°E 14 lbs. dist. 8

an Elm 12 " " " S52°W 39 " "

80.00 set post on. of T. 11 & 12 N., R. 5 & 6 E. from which

a Beech 9 in. dia bears West 30 lbs. dist. 8

a Do 8 " " " N38°E 11 " "

Level bottom, timber Ash, Hackberry, Sycamore &

Upr. Spice, Vines & Surveyed in 1819 by

John M. Donald, Dep. Surveyor.

T.M.N., R.O.E. 2^d Mer. Ind.^aSubdivision, Var. 7th 00' E.

North between Sec. 35 & 36, T.M.N., R.O.E.

25.20 a Beech 20 in. dia.

40.00 sit of sec. part from which
a Hickory 16 in. dia bears S 69° W 22 1/2 m. dist. &
an Ash 14 " " " S 85° E 8 " "

50.00 a Beech 30 " "

80.00 sit part on. of sec. 25, 26, 35 & 36 from which
a Beech 10 in. dia bears N 32° E 10 m. dist. &
a Do 12 " " " S 33° W 28 " "
Land level 3rd rate, timber Beech, Oak & Ash
Uly. Spice &

East on Random between Sec. 25 & 36

10.00 enter a Swamp

14.00 leave the "

81.80 Intersect E. Boundary 8 1/2 m. E. of part—
Land level 3rd rate, timber Beech, Oak, Ash &
Uly. Spice &

West connected between Sec. 25 & 36

16.23 a Beech 20 in. dia.

40.90 sit of sec. part at aver. dist. from which
an Ash 14 in. dia bears S 36° E 8 m. dist. &
a Do 14 " " " N 26° W 26 " "

47.15 a Beech 14 " "

81.80 to sec. cor.

North between Sec. 25 & 26

27.34 a Beech 20 in. dia.

40.00 sit of sec. part from which
a Buckeye 10 in. dia bears S 40° E 10 m. dist. &
an Elm 30 " " " N 77° W 38 " "

46.80 a Hackberry 30 " "

T. M. N., R. O. L. Mer. Ind^a.

51.00 a Stream 150 lbs. wide course SW

80.00 set post cen. of sec. 23, 24, 25 & 26 from which
an Ash 4 in. dia bears N82E 7 lbs. dist. 8

a Water Beech 5 " " N23W 7 " "

Soil 2^o rate, Beech, Sugar, Ash & Spice Uly.

East on Random between Sec. 24 & 25

61.00 a Stream 200 lbs. wide course S

40.00 set temp. g. sec. post

81.50 Intersect E. Boundary at post

Soil level 2^o rate, timber Beech, Ash & Sugar
Uly. Spice &

West Connected between Sec. 24 & 25

40.75 set g. sec. post at aver. dist. from which

a Beech 18 in. dia bears S47E 31 lbs. dist. 8

a Do 20 " " " N67W 26 " "

42.50 a W. Oak 20 " "

81.50 to sec. cen.

North between Sec. 23 & 24

12.21 a Walnut 30 in. dia.

40.00 set g. sec. post from which

a Beech 16 in. dia bears S52E 37 lbs. dist. 8

a Do 17 " " " N64W 17 " "

55.11 a Do 16 " "

80.00 set post cen. of sec. 13, 14, 23 & 24 from which

an Elm 4 in. dia bears S86E 29 lbs. dist. 8

a Beech 18 " " " N62W 16 " "

Soil level 3^o rate, timber Ash, Oak & Beech
Uly. Spice &

East on Random between Sec. 13 & 24

40.00 set temp. g. sec. post

T. N. N., R. O. E. D. Mee. Ind. a.

80.02 Intersect E. Boundary 129 lbs. S. of post -
 Sand level 3rd rate, timber Ash, Beech, Oak &
 Wyr. Spice

West Connected between Sec. 13 & 14

4.23 a W. Oak 62 in. dia.
 40.31 set g. sec. post at avce. dist. from which
 a Beech 18 in. dia bears S 38 E 20 lbs. dist. 8
 a Do 10 " " " S 58 W 10 " "
 64.22 a Hickory 30 " "
 80.62 to sec. cor.

North between Sec. 13 & 14

14.00 a W. Oak 34 in. dia.
 40.00 set g. sec. post from which
 a Beech 30 in. dia bears N 88 W 31 lbs. dist. 8
 a W. Oak 25 " " " S 62 E 26 " "
 58.50 a Stream 50 lbs. wide course S W
 64.28 a Poplar 30 in. dia.
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 a Beech 18 in. dia bears S 45 E 14 lbs. dist. 8
 a W. Oak 6 " " " N 50 W 18 " "
 Sand level 3rd rate, timber Beech, Oak, Ash &
 Wyr. Spice &

East on Random between Sec. 12 & 13

36.00 a Stream 45 lbs. wide course S W
 40.00 set temp. g. sec. post
 79.38 Intersect E. Boundary 42 lbs. S. of post -
 Sand level 2nd rate, timber Ash, Beech, Oak,
 Wyr. Spice, Ash &

West Connected between Sec. 12 & 13

4.17 a R. Oak 60 in. dia.

T. N. N., R. O. E. I. Mer. Ind. a

39.69 set of sec. post at aver. dist. from which
 a Maple 10 in. diameter N12E 44 Ms. dist. 3
 a Walnut 30, , , S37W61 , ,

61.82 a Blue Ash 30 in. dia.

79.38 to sec. cor.

North between Sec. 11 & 12

12.81 a Beech 26 in. dia.

40.00 set of sec. post from which
 an Oak 20 in. diameter S71E 42 Ms. dist. 3
 a Beech 10 , , , N71W12 , ,

60.00 a W. Oak 30 , ,

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
 a Beech 8 in. diameter N84E 16 Ms. dist. 3
 a Do 9 , , , S87W26 , ,
 Sound level 3 rate, timber Beech, Hickory,
 Gum & Oak - Uly. Spice &

East on Random between Sec. 1 & 12

40.00 set temp. of sec. post

77.79 Intersect E. Boundary at post -
 Sound level 3 rate, timber Oak, Beech, & Hickory
 & Uly. Spice, Ash

West Connected between Sec. 1 & 12

8.49 an Oak 48 in. dia.

38.80 set of sec. post at aver. dist. from which
 a Beech 9 in. diameter N28W12 Ms. dist. 3
 a Do 18 , , , S4E20 , ,

61.59 a W. Oak 30 , ,

77.79 to sec. cor.

North between Sec. 1 & 2

17.50 a Beech 10 in. dia.

T. M. N., R. O. E. I. Mer. Ind.?

40.00 set g. sec. part from which
 a Beech 30 in. diameter N58 E 22 W. dist. 8
 a Do 15 " " " S64 W 39 " "

49.90 a Oak 30 " "

85.82 Intersect N. Boundary 485 W. E. of part -
 set part at intersection cor. of sec. No 2 from which
 a Sugar 8 in. diameter N70 W 2 W. dist. 8
 an Oak 13 " " " S35 E 10 " "

Land level 3rd rate, timber Beech, Oak, Hickory
 & Upr. Spice, Ash &.

North between Sec. 34 & 35

17.58 a Beech 18 in. dia.

40.00 set g. sec. part from which
 a Beech 20 in. diameter S4 E 10 W. dist. 8
 a Do 12 " " " N5 E 2 1/2 " "

70.02 a Do 10 " "

80.00 set part cor. of sec. 26, 27, 34 & 35 from which
 a Buckeye 9 in. diameter S36 E 18 W. dist. 8
 a Sugar 36 " " " N36 W 20 " "

Land level 2nd rate, timber Beech, Ash,
 Sugar, Upr. Spice, Pawpaw &.

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. part

82.09 Intersect N. S. line 185 W. E. of part -
 Land 2nd rate land, timber Sugar, Ash, Beech,
 Hackberry & Upr. Spice, Pawpaw &.

West connected between Sec. 26 & 35

10.22 a Beech 16 in. dia.

41.04 set g. sec. part at aver. dist. from which
 a Beech 20 in. diameter N23 1/2 W 11 W. dist. 8
 a Do 30 " " " N84 E 20 " "

T. M. N., R. O. E. I. Mer. Ind. a

44.73 an Elm 14 in. dia.

82.09 to sec. cor.

North between Sec. 26 & 27

12.25 a Blue Ash 19 in. dia.

29.50 a Stream 150 yds. wide course W

40.00 set of sec. post from which

a Buckeye 6 in. dia bears N 75 E 21 yds. dist. S

a Beech 20 " " " S 75 E 18 " "

64.94 a Do 26 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Beech 30 in. dia bears S 17 E 27 yds. dist. S

a Do 12 " " " N 51 W 33 " "

Land level 2^d rate, timber Beech, Ash, Sugar,
Buckeye; Upr. Spice, Pawpaw

East on Randon between Sec. 23 & 26

40.00 set temp. of sec. post

82.87 Intersect N & S line 98 yds. N. of post -

Land level 2^d rate, timber Beech, Ash, Sugar,
Buckeye; Upr. Spice, Pawpaw

West located between Sec. 23 & 26

10.11 a Buckeye 12 in. dia.

41.43 set of sec. post at aver. dist. from which

a Beech 12 in. dia bears S 55 W 37 yds. dist. S

a Do 6 " " " N 5 E 34 " "

63.54 a Do 30 " "

82.87 to sec. cor.

North between Sec. 22 & 23

35.43 a Hackberry 18 in. dia.

40.00 set of sec. post from which

a Beech 4 in. dia bears S 15 E 10 yds. dist. S

T. M. N., R. C. E. I. Mer. Ind.?

an Elm 18 in. dia bears \$827140 lbs. dit.

41.00 a Steam 40 lbs. wide course S4W

78.80 a Hickory 20 in. dia

80.00 set port cor. of sec. 14, 15, 22 & 23 from which
a Beech 10 in. dia bears \$22824 lbs. dit. 8
a W. Beech 4 " " " \$457117 " " "

Sand level 2^d rate, timber Beech, Sugar,
Blue Ash, Buckeye; Upr. Spice, Pawpaw

East on Random between Sec. 14 & 23

7.74 a Steam 50 lbs. wide course S4W

79.89 Intersect N. S. line at port -
Sand level 2^d rate, timber Beech, Oak, Ash,
Upr. Maple, Spice &c.

West connected between Sec. 14 & 23

23.29 an Elm 20 in. dia.

39.94 1/2 set of sec. port at aver. dit. from which
blackberry 18 in. dia bears \$22818 lbs. dit. 8
a Hickory 16 " " " \$507128 " " "

73.70 a Beech 14 " " "

79.89 to sec. cor. October 1. 1819

North between Sec. 14 & 15

4.84 a Buckeye 10 in. dia.

40.00 set of sec. port from which
a Sugar 9 in. dia bears \$27821 lbs. dit. 8
a Do 14 " " " \$287122 " " "

80.00 set port cor. of sec. 10, 11, 14 & 15 from which
a Beech 10 in. dia bears \$69819 lbs. dit. 8
a Do 6 " " " \$637120 " " "

Sand level 2^d rate, timber Beech, Ash, Sugar,
Upr. Spice, Pawpaw &c.

T.M.N., R. O. E. L. Mer. Ind.^a

East on Random between Sec. 10 & 11

40.00 set temp. g. sec. port

79.27 Intersect N. S. line 20 hrs. S. of port -

Sand level 3rd rate, timber Beech, Ash, Oak
Upr. Spice

West connected between Sec. 10 & 11

9.88 a Beech 30 in. dia.

39.63 set g. sec. port at aver. dist. from which

a Beech 20 in. dia. bears S 30° W 15 hrs. dist. 8

a Sycamore 36 " " " N 65° E 30 " "

53.90 an Elm 10 " "

79.27 to sec. cor.

North between Sec. 10 & 11

34.20 an Elm 30 in. dia.

40.00 set g. sec. port from which

an Ash 4 in. dia. bears S 43° E 5 hrs. dist. 8

an Elm 10 " " " N 43° W 16 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a Beech 18 in. dia. bears N 16° W 13 hrs. dist. 8

a Do 10 " " " S 43° W 16 " "

Sand level 3rd rate, timber Beech, Oak, Ash,
Hickory; Upr. Spice, Hazel &c.

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. port

41.77 enter a Swamp

43.00 leave the "

79.50 Intersect N. S. line 23 hrs. N. of port -

Sand level 3rd rate, timber Beech, Ash, Oak,
Upr. Spice, Ash &c.

West connected between Sec. 2 & 11

T. H. N., R. O. E. I. Mer. Ind.^a

- 9.28 a Beech 12 in. dia.
 39.75 set g. sec. post at aver. dist. from which
 a Beech 10 in. dia. bears N 35° W 14 Ms. dist. 8
 a W. Beech 5 " " S 36° W 6 " "
 41.78 a Beech 14 " "
 79.50 to sec. cor.

North between Sec. 2 & 3

- 3.00 a Sugar 14 in. dia.
 40.00 set g. sec. post from which
 a Gum 4 in. dia. bears S 46° W 10 Ms. dist. 8
 a Hickory 8 " " N 41° E 20 " "
 86.64 Intersect N. Boundary 440 Ms. E. of post -
 set post at intersection cor. of sec. 2 & 3 from which
 a Beech 10 in. dia. bears S 36° E 19 Ms. dist. 8
 a Do 6 " " " N 42° W 18 " "
 Land level 3rd rate, timber Beech, Gum, Oak,
 Upr. Spruce, Ash &c. October 2. 1819

North between Sec. 33 & 34

- 40.00 a Stream 150 Ms. wide course W
 40.00 set g. sec. post from which
 a Lycamore 15 in. dia. bears S 59° E 24 Ms. dist. 8
 a Do 30 " " " N 41° W 24 " "
 65.00 a Stream 150 Ms. wide course SE
 70.22 a Hackberry 22 in. dia.
 75.00 a Stream 160 Ms. wide course SW
 80.00 set post cor. of sec. 27, 28, 33 & 34 from which
 a Hackberry 24 in. dia. bears N 30° W 3 Ms. dist. 8
 a Buckeye 9 " " " S 44° E 7 " "
 Land 3rd rate, timber Hackberry, Sugar, Blue Ash
 &c. Upr. Spruce &c.

East on Randon between Sec. 27 & 34

T. H. N., R. O. L., Mer. Ind.^a

8.65 a Stream 140 yds. wide course S W

40.00 set temp. g. sec. post

82.40 Intersect N. S. line 79 yds. S. of post -

Land level 1st rate, timber Hackberry, Ash & Walnut
Uly. Spice

West Corrected between Sec. 27 & 34

7.97 a Beech 18 in. dia.

41.20 set g. sec. post at aver. dist. from which
a Beech 6 in. dia bears S 53 E 2 yds. dist. S

an Elm 10 " " " N 43 E 37 " "

49.92 an Ash 18 " "

82.40 to sec. cor.

North between Sec. 27 & 28

4.23 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a Hackberry 14 in. dia bears S 21 W 30 yds. dist. S

a Buckeye 18 " " " N 21 E 28 " "

45.00 a Spring course S W

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a Beech 9 in. dia bears S 33 E 13 yds. dist. S

an Elm 6 " " " S 88 W 25 " "

Land level 2nd rate, timber Beech, Ash & Sugar;
Uly. Spice &c.

East on Random between Sec. 22 & 27

25.50 a Stream 50 yds. wide course S

40.00 set temp. g. sec. post

80.50 Intersect N. S. line 129 yds. N. of post -

Land level 2nd rate, timber Ash, Beech & Sugar
Uly. Spice &c.

West Corrected between Sec. 22 & 27

J. M. N., R. O. E. I. Mer. Ind. a.

13.13 a Hackberry 28 in. dia.

40.25 set of sec. port at aver. dist. from which
an Ash 30 in. dia bears N78 E 12 W. dist. 8

a Beech 15 " " " S55 W 4 " "

72.00 a Hickory 18 " "

80.50 to sec. cor.

North between Sec. 21 & 22

13.50 a Walnut 40 in. dia.

40.00 set of sec. port from which

a Beech 10 in. dia bears S4 E 6 W. dist. 8

an Ash 15 " " " S84 W 28 " "

75.00 a Hickory 18 " "

80.00 set port cor. of sec. 15, 16, 21 & 22 from which

a Beech 36 in. dia bears N9 E 11 W. dist. 8

a Do 20 " " " S20 W 13 " "

Land level I rate, timber Ash, Hickory & Beech
Wys. Spice

East on Random between Sec. 15 & 22

41.50 a Stream 50 W. wide corner S

40.00 set temp. of sec. port

79.89 Intersect N. S. line 150 W. E. of port -

Land level I rate, timber Ash, Beech, Oak &

Wys. Spice &

West corrected between Sec. 15 & 22

9.39 a Hickory 20 in. dia.

39.94 1/2 set of sec. port at aver. dist. from which

a Beech 8 in. dia bears S19 W 23 W. dist. 8

a Sugar 7 " " " S56 E 29 " "

68.80 an Oak 60 " "

79.89 to sec. cor.

T. H. N., R. O. E. 2^o Mer. Ind.^a

North between Sec. 15 & 16

40.00 set g. sec. post from which

an Oak 10 in. dia. leans S 55 E 9 lbs. dist. 2,

a Beech 9 " " " S 87 W 29 " "

51.50 a Do 30 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Sugar 6 in. dia. leans S 35 E 4 lbs. dist. 2,

a Beech 9 " " " N 42 W 33 " "

Said some hilly 3^o rate, timber Oak, Beech,
Ash & Upr. Spruce.

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post

82.50 Intersect N & S. line 43 lbs. N. of post -

Said level 2^o rate, timber Ash, Beech, Oak &
Upr. Spruce

West corrected between Sec. 10 & 15

18.00 an Ash 14 in. dia.

41.25 set g. sec. post at aver. dist. from which

an Elm 8 in. dia. leans S 89 W 4 lbs. dist. 2,

a Do 30 " " " N 82 E 21 " "

50.05 a Beech 30 " "

82.50 to sec. cor.

North between Sec. 9 & 10

23.02 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Beech 15 in. dia. leans S 74 E 8 lbs. dist. 2,

a Do 12 " " " N 74 W 8 " "

61.61 a Sugar 20 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Beech 3 in. dia. leans N 67 W 8 lbs. dist. 2,

a Do 18 " " " S 82 E 19 " "

T. 11 N., R. 6 E., T. 2. Mer. Ind. a

Sand level 2^o rate, timber Beech, Sugar, Poplar
Upr. Spice &c.

East on Random between Sec. 3 & 10

40.00 set temp. of sec. part

79.50 Intersect N. S. line 33¹/₂ m. S. of part -

Sand level 2^o rate, timber Beech, Ash, Sugar &c.
Spice Upr.

West Connected between Sec. 3 & 10

7.08 a Beech 30 in. dia.

39.75 set of sec. part at aver. dist. from which

a Beech 20 in. dia. bears N 28° W 15 lbs. dist. 8,
an Ash 4 " " " S 43° E 10 " "

65.91 a Beech 26 " "

79.50 to sec. cor.

North between Sec. 3 & 4

24.25 a Beech 18 in. dia.

40.00 set of sec. part from which

a Dogwood 4 in. dia. bears N 69° E 10 lbs. dist. 8,
a Beech 10 " " " N 25° W 12 " "

69.33 an Oak 20 " "

86.35 Intersect N. Boundary 4 1/3 m. E. of part -

set part at intersection cor. of sec. 3 & 4 from which

a Beech 18 in. dia. bears N 31° W 20 lbs. dist. 8,
a W. Oak 15 " " " S 62° E 20 " "

Sand level 2^o rate, timber Ash, Beech, Sugar, Oak &c.
Upr. Spice &c.

North between Sec. 32 & 33

19.59 a Stream 50 lbs. wide course E

29.81 a Beech 14 in. dia.

40.00 set of sec. part from which

T.M.N., R.O.E.L. Mer. Ind.^a

a Water Beech 5 in. dia bears N66 E 4 1/2 Ms. dist. 8
 an Elm 20 " " " South 10 " "
 57.73 a Beech 24 " "
 80.00 set port. cor. of sec. 28, 29, 32 & 33 from which
 a Beech 14 in. dia bears S7 E 14 Ms. dist. 8
 a Do 20 " " " N12 1/2 W 46 " "
 Sand level 2^o rate, timber Beech, Sugar, Ash,
 Wyr. Spice &c.

East on Random between Sec. 28 & 33
 40.00 set temp. g. sec. port
 73.50 a Stream 50 Ms. wide course S
 79.40 Intersect N & S line 15 Ms. S. of port -
 Sand level 2^o rate, timber Beech, Sugar, Ash,
 Wyr. Spice, Ash &c.

West Connected between Sec. 28 & 33
 39.70 set g. sec. port at aver. dist. from which
 a Beech 30 in. dia bears N40 E 30 Ms. dist. 8,
 a Sugar 16 " " " S2 E 27 " "
 52.50 a Beech 10 " "
 59.40 a Sugar 20 " "
 79.40 to sec. cor.

North between Sec. 28 & 29
 12.00 a Poplar 30 in. dia.
 40.00 set g. sec. port from which
 a Beech 15 in. dia bears S62 W 44 Ms. dist. 8,
 a Do 16 " " " S88 E 11 " "
 52.78 a Do 18 " "
 80.00 set port cor. of sec. 20, 21, 28 & 29 from which
 a Sugar 16 in. dia bears S34 1/2 W 13 Ms. dist. 8,
 a Do 18 " " " N77 E 31 1/2 " "
 Sand level 2^o rate, timber Sugar, Beech, Ash,

T. H. N., R. O. E. I. Mer. Ind.?

Poplar; Uly. Spice, Ash &c.

East on Random between Sec. 21 & 28

40.00 set temp. of sec. port

72.40 a Stream 10 lbs. wide course SE

82.12 Intersect N. S. line 30 lbs. N. of port -

Land level 2^d rate, timber Beech, Sugar, Ash,

Poplar; Uly. Spice &c.

West corrected between Sec. 21 & 28

12.45 a Beech 10 in. dia.

41.06 set of sec. port at aver. dist. from which

a Beech 15 in. dia. bears S 72 1/2 W 14 lbs. dist. 8,

a Sugar 10 " " " S 66 E 11 1/2 " "

67.17 an Elm 20 " "

82.12 to sec. cr.

North between Sec. 20 & 21

4.65 an Oak 40 in. dia.

40.00 set of sec. port from which

an Ash 5 in. dia. bears S 73 E 11 lbs. dist. 8,

a Beech 6 " " " S 83 W 28 " "

50.30 a Hickory 20 " "

80.00 set port cr. of sec. 16, 17, 20 & 21 from which

a Hickory 10 in. dia. bears N 51 E 4 lbs. dist. 8,

a Du 15 " " " South 22 " "

Land level 2^d rate, timber Beech, Ash, Sugar

Uly. Spice &c.

East on Random between Sec. 16 & 21

40.00 set temp. of sec. port

83.09 Intersect N. S. line 19 lbs. N. of port -

Land level 2^d rate, timber Beech, Ash, Poplar,

Sugar; Uly. Spice &c.

T. M. N., R. O. E. I. Mer. Ind.^a

West Corrected between Sec. 16 & 21

17.49 a Beech 15 in. dia.

41.54 1/2 set of sec. part at aver. dirt. from which

a Beech 20 in. dia bears S 51 E 25 lbs. dirt. 8

a Do 14 " " " N 83 W 20 " "

56.77 a W. Oak 20 " "

83.09 to sec. cor.

North between Sec. 16 & 17

4.10 an Ash 18 in. dia.

40.00 set of sec. part from which

a Beech 30 in. dia bears S 73 E 26 lbs. dirt. 8

a Do 4 " " " N 73 W 10 " "

80.00 set part cor. of sec. 8, 9, 16 & 17 from which

a Beech 30 in. dia bears S 12 W 24 lbs. dirt. 8

a Do 5 " " " N 24 W 15 " "

Land level 2^d rate, timber Beech, Ash, Sugar,
Poplar; Wyr. Spice & October 4, 1819

East on Random between Sec. 9 & 16

40.00 set temp. of sec. part

82.11 Intersect N & S line 42 lbs. S. of part -

Land level 2^d rate, timber Beech, Ash, Oak,
Sugar; Wyr. Spice, Ash &

West Corrected between Sec. 9 & 16

11.76 a Blue Ash 20 in. dia.

41.05 1/2 set of sec. part at aver. dirt. from which

a Beech 10 in. dia bears N 26 W 30 lbs. dirt. 8

a Sugar 18 " " " S 29 W 17 " "

49.21 a Poplar 48 " "

82.11 to sec. cor.

North between Sec. 8 & 9

T. H. N., R. O. I. Mer. Ind.?

4.25 an Ash 30 in. dia.
 40.00 set of sec. part from which
 a Beech 5 in. diameter S 20° W 19 lbs. ditto &
 an Ash 10 " " " N 9° E 31 " "
 80.00 set part con. of sec. 4, 5, 8 & 9 from which
 a Beech 10 in. diameter S 24° W 7 lbs. ditto &
 a Do 7 " " " N 21° E 27 " "
 Sand level 2. rate, timber Beech, Oak, Ash,
 Poplar, Sugar; Uly. Spice, Pawpaw &
 October 5, 1819

East on Random between Sec. 4 & 9

40.00 set temp. of sec. part
 81.15 Intersect N. S. line 157 lbs. N. of part -
 Sand level 2. rate, timber Beech, Ash, Sugar,
 Poplar; Uly. Spice, Pawpaw

West corrected between Sec 4 & 9

12.10 a Beech 10 in. dia.
 40.57 set of sec. part at aver. ditto. from which
 a Beech 30 in. diameter N 55° E 42 lbs. ditto &
 a Do 10 " " " S 23° W 30 " "
 43.14 a Poplar 4 " "
 81.15 to sec. con.

North between Sec. 4 & 5

27.37 an Ash 16 in. dia.
 40.00 set of sec. part from which
 a Beech 12 in. diameter S 6° W 33 lbs. ditto &
 an Oak 14 " " " N 5° W 13 " "
 42.25 a W. Oak 20 " "
 85.93 Intersect N. Boundary 150 lbs. E. of part -
 set part at intersection con. of sec. 4 & 5 from which
 a Hickory 20 in. diameter N 1° E 15 lbs. ditto &

T. M. N., R. O. E. I. Mer. Ind. a

a Beech 12 in. dia. bears S29^W36^W lbs. dist.
 Land level 2^d rate, timber Beech, Ash, Oak,
 Upr. Spice &c. October 6, 1819

North between Sect. 31 & 32

37.12 a W. Oak 30 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears S66^E21^W lbs. dist. S

a Do 30 " " " S59^W21 " "

52.55 a Do 18 " "

63.00 a Brook 12 lbs. wide course W

80.00 set post on. of Sect. 29, 30, 31 & 32 from which

a Beech 6 in. dia. bears N69^E20^W lbs. dist. S

a Do 20 " " " S5^W3 " "

Land level 2^d rate, timber Ash, Beech & Sugar
 some Poplar &c. Upr. Spice &c.

East in Random between Sect. 29 & 32

40.00 set temp. of sec. post

81.30 intersect N & S line 57 lbs. S. of post -

Land level 2^d rate, timber Ash, Oak, Beech
 &c. Upr. Spice &c.

West Connected between Sect. 29 & 32

6.69 a Beech 18 in. dia.

40.65 set of sec. post at aver. dist. from which

a Sugar 18 in. dia. bears N63^W13^W lbs. dist. S

a Do 16 " " " S74^E15 " "

57.62 a Beech 20 " "

81.30 to sec. on.

West between Sect. 30 & 31

21.50 an Ash 20 in. dia.

40.00 set of sec. post from which

T. H. N., R. O. D. Mer. Ind.^a

a Sugar 8 in. diameter 908 E 15 lbs. ditto 2
 a Beech 10 " " " N79W8 " "
 51.65 a W. Oak 30 " "
 82.25 Intersect W. Boundary 93 lbs. S. of port -
 set port at intersection cor. of sec. 30 & 31 from which
 a Beech 9 in. diameter N35W40 lbs. ditto 2
 a Hickory 14 " " " S44E 28 " "
 Sand level 2. rate, timbered Ash, Beech, Poplar &
 Upr. Spice &

North between Sec. 29 & 30

6.05 a Sugar 10 in. dia.
 40.00 set g. sec. port from which
 a Beech 9 in. diameter N60 E 17 lbs. ditto 2
 a Do 16 " " " S20W13 " "
 41.00 a Poplar 50 " "
 80.00 set port cor. of sec. 19, 20, 29 & 30 from which
 a Hickory 14 in. diameter N65 E 28 lbs. ditto 2
 a Beech 14 " " " S27W30 " "
 Sand level 2. rate, timbered Ash, Beech, Poplar &
 Upr. Spice &

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. port
 82.90 Intersect N. Line at port -
 Sand level 2. rate, timbered Beech, Ash, Sugar,
 some Poplar & Upr. Spice &

West Connected between Sec. 20 & 29

41.65 set port for g. sec. cor. from which
 a Beech 30 in. diameter S71 E 20 lbs. ditto 2
 a Sugar 7 " " " N55W35 " "
 41.45 to true g. sec. cor.
 63.36 a Beech 20 in. dia.

T.M.N., R.O.E. 2^d Mer. Ind^a.

82.90 to sec. cor.

Note. This line was resurveyed, and the g^d sec. port was found to be 20 links W. of the true place, the Surveyor omitted to establish it at average distance on true line.

West between Sec. 19 & 30

13.90 a Beech 26 in. dia.

40.00 set g^d sec. port from which

an Ash 30 in. dia. bears N 22° W 30 lbs. dist. 8

a Sugar 14 " " " S 56° E 12 " "

47.80 a Poplar 20 " "

82.90 Intersect W. Boundary 143 lbs. S. of port -

set port at intersection cor. of Sec. 19 & 30 from which

a Poplar 60 in. dia. bears S 61° E 20 lbs. dist. 8

a Beech 14 " " " N 11° W 35 " "

Land level 2 rods, timber Beech, Poplar, Ash &

Wyp. Spice

North between Sec. 19 & 20

30.78 a Beech 15 in. dia.

40.00 set g^d sec. port from which

a Beech 10 in. dia. bears N 65° W 13 lbs. dist. 8

a Do 18 " " " S 72° E 25 " "

41.90 a Do 14 " "

80.00 set port cor. of sec. 17, 18, 19 & 20 from which

a Beech 7 in. dia. bears N 11° E 21 lbs. dist. 8

an Ash 8 " " " S 38° W 15 " "

Land level rich, timber Ash, Beech, Sugar &

Wyp. Spice &

East on Random between Sec. 17 & 20

40.00 set temp. g^d sec. port

81.51 Intersect N & S. line at port -

T. M. N., R. O. E. I. Mer. Ind.?

Land level 2^d rate, timber Beech, Ash, Hickory
& Upr. Spice &c.

West Corrected between Sec. 17 & 20

41.34 an Ash 18 in. dia.

41.40 set of sec. post from which
an Ash 18 in. dia bears N48 E 14¹/₂ lbs. dist. &c.
a Beech 5 " " " S84 W 4 " "

81.50 to sec. cor.

Note. The above of sec. post and bearings, are
not at the true place, being 14¹/₂ lbs. too far West

West between Sec. 18 & 19

20.04 a Beech 20 in. dia.

40.00 set of sec. post from which
a Beech 14 in. dia bears N15 W 25¹/₂ lbs. dist. &c.
a Sugar 10 " " " S38 E 6 " "

59.29 a Beech 8 lbs. wide course N4 W

60.29 an Oak 20 in. dia.

82.85 Intersect W. Boundary 97 lbs. S. of post -
set post at intersection cor. of sec. 18 & 19 from which

a Beech 4 in. dia bears S75 E 6 lbs. dist. &c.

a Do 5 " " " N44 W 22 " "

Land level, timber Beech, Oak & Ash, 2^d rate,
Upr. Spice &c.

North between Sec. 17 & 18

7.00 an Ash 14 in. dia.

40.00 set of sec. post from which
a Sugar 20 in. dia bears S80 E 16 lbs. dist. &c.
a W. Oak 22 " " " S88 W 62 " "

42.90 a Hickory 15 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which
a Sugar 15 in. dia bears N31 W 5 lbs. dist. &c.

T. H. N., R. O. L. Mer. Ind.^a

a Beech 7 in. dia bears S42 E 18 lbs. dist.

Land level 2. rate, timber Ash, Beech, Sugar & Poplar, Ulp. Spice

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. part

81.83 Intersect N. B. line at port -

Land level 2. rate, timber Sugar, Beech, Ash, Poplar, Ulp. Spice

West Connected between Sec. 8 & 17

9.36 a Sugar 18 in. dia.

40.91 set g. sec. part at aver. dist. from which

a Beech 5 in. dia bears S49 E 31 lbs. dist. 8,

a Sugar 18 " " " N37W 25 " "

51.87 a Beech 10 " "

81.83 to sec. cor.

West between Sec. 7 & 18

15.59 a Beech 18 in. dia.

40.00 set g. sec. part from which

a Beech 8 in. dia bears S41W 20 lbs. dist. 8

a Sugar 5 " " " N40W 10 " "

46.54 a W. Oak 30 " "

83.00 Intersect W. Boundary 55 lbs. S. of port -

set part at intersection cor. of sec. 7 & 18 from which

a Sugar 10 in. dia bears N65 E 35 lbs. dist. 8

a Do 8 " " " S52W 12 " "

Land level 2. rate, timber Beech, Oak & Ash, Ulp. Spice &

North between Sec. 7 & 8

1.50 a Sugar 18 in. dia.

40.00 set g. sec. part from which

T.M.V., R. O. I. Mer. Ind.^a

a Sugar 12 in. diameter N56 W 24 lbs. dist. 8
 a Beech 5 " " " S24 E 29 " "
 42.40 a Do 18 " "
 80.00 set part cor. of sec. 5, 6, 7 & 8 from which
 a Sugar 4 in. diameter S43 W 12 lbs. dist. 8
 a Beech 4 " " " N21 W 24 " "
 Land level, timber Ash, Beech, Oak & Spruce

East in Random between Sec. 5 & 8

1.50 a Stream 15 lbs. wide
 40.00 set temp. of sec. part
 84.22 Intersect N & S line 11 lbs. S. of part -
 Land level 2^o rate, timber Beech, Ash, Sugar
 Upr. Spruce

West located between Sec. 5 & 8

9.12 a W. Oak 14 in. dia.
 42.11 set of sec. part at aver. dist. from which
 a Gum 8 in. diameter N35 W 31 lbs. dist. 8
 a Dogwood 5 " " " S53 E 36 " "
 69.19 a Beech 14 " "
 84.22 to sec. cor.

West between Sec. 6 & 7

10.21 a R. Oak 30 in. dia.
 40.00 set of sec. part from which
 a Beech 4 in. diameter N41 E 13 lbs. dist. 8
 a Do 3 " " " " S6 W 12 " "
 57.90 a Blackberry 30 " "
 86.42 Intersect W. Boundary 70 lbs. S. of part -
 set part at intersection cor. of sec. 6 & 7 from which
 a Mulberry 9 in. diameter S67 E 21 lbs. dist. 8
 a B. Walnut 18 " " " " N44 W 6 " "
 Land level 2^o rate, timber Oak, Beech, Sugar

T. 11 N., R. 6 E., 2^d Mer. Ind.^a

Upr. Spice St.

North between Sect. 5 & 6

1.50 a Brook 10 lbs. wide course S W

5.80 a Beech 24 in. dia.

40.00 set of ser. post from which

a Beech 30 in. dia. bears N 27 E 36 lbs. dist 1/8

a Do 30 " " " S 33 W 12 " "

42.50 a Do 40 " "

82.50 a Stream 250 lbs. wide course S W

85.70 Intersect N. Boundary 25 lbs. E. of post -

set post at intersection cor. of Sect. 5 & 6 from which

a Blue Ash 20 in. dia. bears S 3 E 14 lbs. dist 1/8

a Bur Oak 26 " " " N 60 W 28 " "

Land level, timber Ash, Beech & Oak; Spice St.
Surveyed in 1819 by

Abraham Lee

Deputy Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 11
North, in Range N. 6 East of the 2^d Princip-
al Meridian, in the State of Indiana, have
been compared with the original on file in
this office, and found to be correct.

Surveyor General's Office,

Cincinnati, April 16, 1842

W. P. Haines
Sur. Genl.

copy 2